

2020

**WIND AND WAVE CONDITIONS – SHELBURNE
HARBOUR – MARINE FINFISH LEASES 1345, 0602, 1192,
0983**

Prepared by:
Meysam Karimi, PhD, Dean Steinke, P.Eng.
Dynamic Systems Analysis

Title	Wind and Wave Conditions – Shelburne Harbour – Marine Finfish Leases 1345, 0602, 1192, 0983
DSA Document	Report-DSA-CMAR-19EXM-Shelburne Harbour Wind and Wave Conditions RevB.0.docx
Revision	B
Author	Meysam Karimi, Ph.D.
Co-authors	Dean Steinke, P.Eng.
Prepared for	CMAR
Client reference / project	N/A
DSA project	CMAR-19EXM
Last revised	2020-11-06
Pages (incl. Grove Br)	34

DSA Pacific Office


201-754 Broughton St
Victoria, BC V8W 1E1
+1.250.483.7207

DSA Atlantic office

210 – 3600 Kempt Road
Halifax, NS B3K 4X8
+1.902.407.3722

info@dsaocean.com
www.dsaocean.com



Title	Wind and Wave Conditions – Shelburne Harbour – Marine Finfish Leases 1345, 0602, 1192, 0983			
Revision	B	Date Last Revised	2020-11-06	
DSA Project	CMAR-19EXM	Client Project / Reference	N/A	

Revision history

Revision	Date last revised	Summary of changes / Comments	Revisions by	Checked by	Approved for release by	Issued to / Distribution	Engineering review status (IFI / IFR / IFC)
A	2020-11-03	Report Draft	MEK	DMS	DMS	CMAR	IFR
B	2020-11-06	CMAR comments applied; Approved for public release	MEK	DMS	DMS	CMAR	IFR

List of authors / reviewers


Initials	Name
MEK	Meysam Karimi, Ph.D.
DMS	Dean M. Steinke, P.Eng.

Engineering Review Status Acronyms

IFI – Issued for information

IFR – Issued for review

IFC – Issued for construction


Title	Wind and Wave Conditions – Shelburne Harbour – Marine Finfish Leases 1345, 0602, 1192, 0983			
Revision	B	Date Last Revised	2020-11-06	
DSA Project	CMAR-19EXM	Client Project / Reference	N/A	

Executive Summary


In support of Centre for Marine Applied Research (CMAR), the following report presents wind and wave conditions at four marine finfish leases in and near Shelburne Harbour, Nova Scotia, Canada.

In this report, wave and wind conditions are presented for 4 locations:


- Marine Finfish Lease - 1345: 43° 39.266'N, 65° 17.015'W.
- Marine Finfish Lease - 0602: 43° 43.300'N, 65° 19.308'W.
- Marine Finfish Lease - 1192: 43° 43.972'N, 65° 19.786'W.
- Marine Finfish Lease - 0983: 43° 44.403'N, 65° 19.694'W.



To determine the wave field evolution closer to shore at a specific site, and to determine more accurate 10- and 50- year return period wave data, near shore wave modelling can be used. For the Shelburne Harbour are sites, STWave was used to model the wave conditions inside the area. The results showed reduced wave heights, in comparison to the hindcast source point which is located at the southeast

Title	Wind and Wave Conditions – Shelburne Harbour – Marine Finfish Leases 1345, 0602, 1192, 0983			
Revision	B	Date Last Revised	2020-11-06	
DSA Project	CMAR-19EXM	Client Project / Reference	N/A	

entrance to the Shelburne Harbour, due to depth induced energy dissipation (bottom friction, breaking). The STWave model results are determined using wind and wave boundary condition data from the MSC50 HindCast model of a nearby offshore location. The extreme wave conditions at the lease locations are determined in part by propagating wave from the offshore hindcast model location into the site of interest.

Title	Wind and Wave Conditions – Shelburne Harbour – Marine Finfish Leases 1345, 0602, 1192, 0983			
Revision	B	Date Last Revised	2020-11-06	
DSA Project	CMAR-19EXM	Client Project / Reference	N/A	

Contents

Revision history	2
List of authors / reviewers	2
Executive Summary	3
Contents	5
Figures	5
Tables	6
1 Introduction	7
1.1 Overview	7
1.2 Objective(s)	8
2 Abbreviations and acronyms	9
3 Reference documents and drawings	9
4 Wave conditions	9
4.1 Overview	9
4.2 Wave Model Description	10
4.3 Boundary conditions – offshore wind and wave conditions	13
4.4 Wave modeling results	22
4.4.1 Wave/wind conditions for Shelburne Harbour - Marine Finfish Lease - 1345	24
4.4.2 Wave/wind conditions for Shelburne Harbour - Marine Finfish Lease - 0602	27
4.4.3 Wave/wind conditions for Shelburne Harbour - Marine Finfish Lease - 1192	30
4.4.4 Wave/wind conditions for Shelburne Harbour - Marine Finfish Lease - 0983	32

Figures

Figure 1 Four (4) site locations at Shelburne Harbour [4]	7
Figure 2 Shelburne Harbour, Nova Scotia, Canada	8
Figure 3 Bathymetry at site on hydrographic charts- Depth reported in meters	10
Figure 4 Bathymetry at site on STWave. Note the MSC50 HindCast model source point indicated at 43° 36.000' N, 65° 12.000' W Boundary conditions – offshore wind and wave conditions	12
Figure 5 Wave height versus wave direction plot	13
Figure 6 Wind speed versus wind direction plot for the source point	14
Figure 7: Extreme value analysis on wind data – for Source Point offshore location [1]	16
Figure 8: Extreme value analysis on wave data – for Source Point offshore location [1]	18



Title	Wind and Wave Conditions – Shelburne Harbour – Marine Finfish Leases 1345, 0602, 1192, 0983			
Revision	B	Date Last Revised	2020-11-06	
DSA Project	CMAR-19EXM	Client Project / Reference	N/A	

Figure 9 Maximum wind speed at 10- year return period and direction [from]- for Source Point offshore location [1]	19
Figure 10 Maximum wind speed at 50- year return period and direction [from]- for Source Point offshore location [1]	20
Figure 11 Maximum wave height at 10- year return period and direction [from]- for Source Point offshore location [1]	20
Figure 12 Maximum wave height at 50- year return period and direction [from]- for Source Point offshore location [1]	21
Figure 13 Wave modeling results for direction [From] 113 deg- ESE	23
Figure 14 Wave modeling results for direction [From] 135 deg- SE	24
Figure 15 Maximum wave height at 10- year return period and direction [from]- Shelburne Harbour - Marine Finfish Lease - 1345	26
Figure 16 Maximum wave height at 50- year return period and direction [from]- Shelburne Harbour - Marine Finfish Lease - 1345	27
Figure 17 Maximum wave height at 10- year return period and direction [from]- Shelburne Harbour - Marine Finfish Lease – 0602	29
Figure 18 Maximum wave height at 50- year return period and direction [from]- Shelburne Harbour - Marine Finfish Lease – 0602	29
Figure 19 Maximum wave height at 10- year return period and direction [from]- Shelburne Harbour - Marine Finfish Lease – 1192	31
Figure 20 Maximum wave height at 50- year return period and direction [from]- Shelburne Harbour - Marine Finfish Lease - 1192	32
Figure 21 Maximum wave height at 10- year return period and direction [from]- Shelburne Harbour - Marine Finfish Lease – 0983	34
Figure 22 Maximum wave height at 50- year return period and direction [from]- Shelburne Harbour - Marine Finfish Lease - 0983	34

Tables

Table 1 Results extreme value analysis for wind and waves at the offshore source point locations in Figure 4	19
Table 2 T_p values used in analysis.	21
Table 3 Estimated wave and wind design conditions for Shelburne Harbour - Marine Finfish Lease - 1345	25
Table 4 Estimated wave and wind design conditions for Shelburne Harbour - Marine Finfish Lease - 0602	27
Table 5 Estimated wave and wind design conditions for Shelburne Harbour - Marine Finfish Lease - 1192	30
Table 6 Estimated wave and wind design conditions for Shelburne Harbour - Marine Finfish Lease - 0983	32

Title	Wind and Wave Conditions – Shelburne Harbour – Marine Finfish Leases 1345, 0602, 1192, 0983			
Revision	B	Date Last Revised	2020-11-06	
DSA Project	CMAR-19EXM	Client Project / Reference	N/A	

1 Introduction

1.1 Overview

For the finfish lease locations in and near Shelburne Harbour shown in Figure 1, wind and wave conditions have been estimated. The following presents data on the predicted 10- and 50- year wind and wave conditions at four locations.





Figure 1 Four (4) site locations at Shelburne Harbour [4]

Shelburne Harbour is overall very protected from offshore waves by surrounding lands. The McNutts Island site (Lease 1345) is however vulnerable to waves from southeast which will travel directly into the Eastern Way entrance to Shelburne harbour, as can be seen in Figure 2, to the offshore waves will lose energy by travelling into shallower waters. Detailed wave modelling is required to determine the amount of energy lost and wave height reduction.

Title	Wind and Wave Conditions – Shelburne Harbour – Marine Finfish Leases 1345, 0602, 1192, 0983			
Revision	B	Date Last Revised	2020-11-06	
DSA Project	CMAR-19EXM	Client Project / Reference	N/A	





Figure 2 Shelburne Harbour, Nova Scotia, Canada

The context of this project is that extreme wind and wave conditions are needed to select engineering load cases for those wishing to install finfish or shellfish farms in the area. For example, extreme environmental conditions with minimum 10- year and 50- year return periods are required for the design of a marine fish farm site, as per guidance in the Scottish technical standard [2] and NS9415 [3]. While the locations assessed as part of this modeling exercise are actual aquaculture site locations, the data produced for these locations is useful for understanding the approximate wave climate in the region and can be used to evaluate any proposals for sites in the area. Understanding the wind and wave climates at aquaculture sites is important for mitigating risks.

1.2 Objective(s)

- Determine wave/wind conditions at four locations in Shelburne Harbour and find the conditions with 10- and 50- year return periods.

Title	Wind and Wave Conditions – Shelburne Harbour – Marine Finfish Leases 1345, 0602, 1192, 0983			
Revision	B	Date Last Revised	2020-11-06	
DSA Project	CMAR-19EXM	Client Project / Reference	N/A	

2 Abbreviations and acronyms

DSA	Dynamic Systems Analysis Ltd.
SMS	Surface-water Modeling System
CMAR	Centre for Marine Applied Research
CHS	Canadian Hydrographic Services


3 Reference documents and drawings

[1]	V. Swail, V. Cardone, M. Ferguson, D. Gummer, E. Harris, E. Orelup, and A. Cox, “The msc50 wind and wave reanalysis,” in <i>9th International Workshop On Wave Hindcasting and Forecasting</i> , 2006.
[2]	Marine Scotland. (2015). A Technical Standard for Scottish Finfish Aquaculture. Ministerial Group for Sustainable Aquaculture's Scottish Technical Standard Steering Group
[3]	Norge, S. (2009). Norwegian Standard NS 9415. E: 2009. Marine Fish Farms—Requirements for Site Survey, Risk Analyses, Design, Dimensioning, Production, Installation and Operation. <i>Standard Norge, Lysaker</i> .
[4]	CMAR approved sites -RevB.kmz

4 Wave conditions

4.1 Overview

SMS version 12.2.13 was used to setup the bathymetric and computational grid. This section provides a description of the grid size, mesh size and offshore environmental conditions. Site bathymetry is provided in Figure 3. Note that a CHS hydrographic chart is used to generate the bathymetric data for wave modeling.

Title	Wind and Wave Conditions – Shelburne Harbour – Marine Finfish Leases 1345, 0602, 1192, 0983			
Revision	B	Date Last Revised	2020-11-06	
DSA Project	CMAR-19EXM	Client Project / Reference	N/A	





Figure 3 Bathymetry at site on hydrographic charts- Depth reported in meters

4.2 Wave Model Description


SMS, created by Aquaveo, is a modelling suite in which various water surface modelling tools, like wave and flow models, can be used. For this analysis SMS in combination with STWave is used. STWave is a nearshore spectral Hydraulics model, developed by U.S. Army Engineer Research and Development

Title	Wind and Wave Conditions – Shelburne Harbour – Marine Finfish Leases 1345, 0602, 1192, 0983			
Revision	B	Date Last Revised	2020-11-06	
DSA Project	CMAR-19EXM	Client Project / Reference	N/A	

Center (ERDC) and Coastal and Hydraulics Laboratory (CHL). It is capable of modelling accurately wave transformation and propagation.

Two grids were setup, computational grid and spectral grid. The computational grid and its mesh sizes are mainly defined by the bathymetry. The bathymetry in SMS is presented in Figure 4. For this analysis the computational grid size was 19.9 km x 23.5 km. The mesh size was 15 m x 15 m, resulting in $1331 \times 1571 = 2,091,001$ grid cells.

The spectral domain was divided into 72 directions and 50 frequencies, with a minimum frequency of 0.03 Hz and a maximum frequency of 1.01 Hz.

Title	Wind and Wave Conditions – Shelburne Harbour – Marine Finfish Leases 1345, 0602, 1192, 0983			
Revision	B	Date Last Revised	2020-11-06	
DSA Project	CMAR-19EXM	Client Project / Reference	N/A	





Figure 4 Bathymetry at site on STWave. Note the MSC50 HindCast model source point indicated at 43° 36.000' N, 65° 12.000' W Boundary conditions – offshore wind and wave conditions

Title	Wind and Wave Conditions – Shelburne Harbour – Marine Finfish Leases 1345, 0602, 1192, 0983			
Revision	B	Date Last Revised	2020-11-06	
DSA Project	CMAR-19EXM	Client Project / Reference	N/A	

4.3 Boundary conditions – offshore wind and wave conditions

The MSC50 HindCast model [1] data from location 43° 36.000' N, 65° 12.000' W was used to determine the 10- and 50- year return periods for wind and wave of the Shelburne Harbour fish farm sites; the location is labelled as the “Source point” in Figure 4. The scatterplot of wave heights versus wave directions for the source point is shown in Figure 5. The scatter plot of wind speeds versus wind directions for the source point is also shown in Figure 6. Extreme waves and wind at the source point appear to originate more frequently from the southeast and south.





Figure 5 Wave height versus wave direction plot

Title	Wind and Wave Conditions – Shelburne Harbour – Marine Finfish Leases 1345, 0602, 1192, 0983			
Revision	B	Date Last Revised	2020-11-06	
DSA Project	CMAR-19EXM	Client Project / Reference	N/A	






Figure 6 Wind speed versus wind direction plot for the source point


10- and 50- year return period conditions are in general achieved by:

- Obtaining measured or hindcast data for parameter in question
- For each parameter, bin data by direction
- Perform extreme value analysis.
 - Extract annual maxima
 - Fit Gumbel or Weibull distribution to this data
 - Use fitted distribution to calculate values corresponding to 10- and 50- year return period

The extreme value analysis of the wind velocities is presented in Figure 7. U10 and U50 represent the 10- and 50- year return period wind velocities, respectively.

Title	Wind and Wave Conditions – Shelburne Harbour – Marine Finfish Leases 1345, 0602, 1192, 0983			
Revision	B	Date Last Revised	2020-11-06	
DSA Project	CMAR-19EXM	Client Project / Reference	N/A	



Title	Wind and Wave Conditions – Shelburne Harbour – Marine Finfish Leases 1345, 0602, 1192, 0983			
Revision	B	Date Last Revised	2020-11-06	
DSA Project	CMAR-19EXM	Client Project / Reference	N/A	







Figure 7: Extreme value analysis on wind data – for Source Point offshore location [1]

The extreme value analysis of the wave heights is presented in Figure 8. Similar to the presentation of the wind data, Hs10 and Hs50 represent the 10- and 50- year return period wave heights, respectively.

Title	Wind and Wave Conditions – Shelburne Harbour – Marine Finfish Leases 1345, 0602, 1192, 0983			
Revision	B	Date Last Revised	2020-11-06	
DSA Project	CMAR-19EXM	Client Project / Reference	N/A	



Title	Wind and Wave Conditions – Shelburne Harbour – Marine Finfish Leases 1345, 0602, 1192, 0983			
Revision	B	Date Last Revised	2020-11-06	
DSA Project	CMAR-19EXM	Client Project / Reference	N/A	




Figure 8: Extreme value analysis on wave data – for Source Point offshore location [1]

In summary, the following data was obtained from the extreme value analysis:


Title	Wind and Wave Conditions – Shelburne Harbour – Marine Finfish Leases 1345, 0602, 1192, 0983			
Revision	B	Date Last Revised	2020-11-06	
DSA Project	CMAR-19EXM	Client Project / Reference	N/A	

Table 1 Results extreme value analysis for wind and waves at the offshore source point locations in Figure 4

Direction [from] [°]		$U_{wind,10year}$ [m/s]	$U_{wind,50year}$ [m/s]	$H_{s,10year}$ [m]	$H_{s,50year}$ [m]
0	N	21.01	24.53	4.05	5.08
23	NNE	21.96	26.05	4.1	5.15
45	NE	21.96	26.14	2.05	2.49
68	ENE	23.35	28.62	2.2	2.72
90	E	20.06	23.69	3.4	4.25
113	ESE	20.82	24.53	5.64	6.94
135	SE	19.38	22.42	6.41	7.78
158	SSE	20.76	24.68	6.4	7.79
180	S	21.12	24.91	6.44	8.01
203	SSW	19.96	22.93	4.88	5.86
225	SW	19.65	22.38	3.33	3.88
248	WSW	21.05	24.55	2.38	2.87
270	W	21.38	24.56	2.13	2.63
293	WNW	21.42	24.44	2.05	2.51
315	NW	20.69	23.46	2.07	2.51
338	NNW	20.26	23.21	2.22	2.73

Polar plots for maximum wind speeds and wave heights at 10- year and 50- year return periods are shown in Figure 9 to Figure 12, respectively.





Figure 9 Maximum wind speed at 10- year return period and direction [from]- for Source Point offshore location [1]

Title	Wind and Wave Conditions – Shelburne Harbour – Marine Finfish Leases 1345, 0602, 1192, 0983			
Revision	B	Date Last Revised	2020-11-06	
DSA Project	CMAR-19EXM	Client Project / Reference	N/A	




Figure 10 Maximum wind speed at 50- year return period and direction [from]- for Source Point offshore location [1]





Figure 11 Maximum wave height at 10- year return period and direction [from]- for Source Point offshore location [1]

Title	Wind and Wave Conditions – Shelburne Harbour – Marine Finfish Leases 1345, 0602, 1192, 0983			
Revision	B	Date Last Revised	2020-11-06	
DSA Project	CMAR-19EXM	Client Project / Reference	N/A	




Figure 12 Maximum wave height at 50- year return period and direction [from]- for Source Point offshore location [1]


The wave data, presented in Table 1, was set as boundary condition and specified as a JONSWAP spectrum. The peak-enhancement factor was set to 3.3 and directional spreading was included as a $\cos^m(\theta)$ distribution.

Only wind-wave interaction was considered. Current-wave interaction was not included because local flow velocities are very small.

16 headings were used, the wind direction was kept constant within its directional bin. T_p was varied in the presented range as shown in Table 2.

Table 2 T_p values used in analysis.

Direction [from] [°]		T_p [s]
0	N	8.8_15.45
23	NNE	6.6_12.1
45	NE	3.7_14.4
68	ENE	4.12_11.43
90	E	6_11.61
113	ESE	7.44_14.3
135	SE	7.8_14.21

Title	Wind and Wave Conditions – Shelburne Harbour – Marine Finfish Leases 1345, 0602, 1192, 0983			
Revision	B	Date Last Revised	2020-11-06	
DSA Project	CMAR-19EXM	Client Project / Reference	N/A	


158	SSE	8.1_15.6
180	S	7.5_15.6
203	SSW	7.8_13.7
225	SW	7.6_13
248	WSW	5.4_14.21
270	W	4_14.22
293	WNW	3.6_14.55
315	NW	4_14.63
338	NNW	3.74_14.8

In this method, wave design conditions for the project location are based on 10- and 50- year return period sea-state and winds for an offshore location, which have subsequently been transferred to the project location. This will provide reasonable design conditions; however, they cannot be linked directly to a return period at the site.

4.4 Wave modeling results

The results of the wave modeling are presented in Figure 13 and Figure 14 for directions from east southeast, and southeast, respectively for two key wave headings with the highest wave heights. As stated in the previous section, the wind conditions are assumed to stay constant for the region. The results from STWave represent the maximum significant wave height value at the region including its spectral peak period and wave direction.

The location of sites at the Shelburne Harbour are presented in Figure 1. The estimated wave and wind conditions for each site based on the STWave modeling are presented in the following sections.

Title	Wind and Wave Conditions – Shelburne Harbour – Marine Finfish Leases 1345, 0602, 1192, 0983			
Revision	B	Date Last Revised	2020-11-06	
DSA Project	CMAR-19EXM	Client Project / Reference	N/A	





Figure 13 Wave modeling results for direction [From] 113 deg- ESE

Title	Wind and Wave Conditions – Shelburne Harbour – Marine Finfish Leases 1345, 0602, 1192, 0983			
Revision	B	Date Last Revised	2020-11-06	
DSA Project	CMAR-19EXM	Client Project / Reference	N/A	




Figure 14 Wave modeling results for direction [From] 135 deg- SE

4.4.1 Wave/wind conditions for Eastern Way / McNutts Island - Marine Finfish Lease - 1345

The wave and wind results from the STWave model, for the Marine Finfish Lease – 1345 adjacent McNutts Island in Eastern Way, are summarized in Table 3. Note that the results in Table 3 indicate significant wave height (H_s) and peak period (T_p) for the selected site. These represent the extreme wave conditions at this coordinate: $43^{\circ} 39.266' \text{ N}$, $65^{\circ} 17.015' \text{ W}$.



Title	Wind and Wave Conditions – Shelburne Harbour – Marine Finfish Leases 1345, 0602, 1192, 0983			
Revision	B	Date Last Revised	2020-11-06	
DSA Project	CMAR-19EXM	Client Project / Reference	N/A	

Table 3 Estimated wave and wind design conditions for Shelburne Harbour - Marine Finfish Lease - 1345

Wave/Wind conditions	Direction [from] [°]		Wind (m/s)	Hs (m)	Tp (s)
10yr wave/wind	0	N	21.01	0.51	2.05
	23	NNE	21.96	0.35	1.94
	45	NE	21.96	0.47	3
	68	ENE	23.35	0.76	3.16
	90	E	20.06	1.04	3.34
	113	ESE	20.82	2.7	9.58
	135	SE	19.38	2.62	9.2
	158	SSE	20.76	1.86	5.74
	180	S	21.12	0.34	1.73
	203	SSW	19.96	0.17	1.37
	225	SW	19.65	0.23	1.88
	248	WSW	21.05	0.3	1.82
	270	W	21.38	0.37	1.78
	293	WNW	21.42	0.44	2.41
	315	NW	20.69	0.7	2.36
	338	NNW	20.26	0.7	2.36
50yr wave/wind	0	N	24.53	0.61	2.19
	23	NNE	26.05	0.45	2.1
	45	NE	26.14	0.58	3.2
	68	ENE	28.62	0.95	3.42
	90	E	23.69	1.24	3.56
	113	ESE	24.53	3.27	9.75
	135	SE	22.42	3.1	9.4
	158	SSE	24.68	2.03	5.68
	180	S	24.91	0.41	1.81
	203	SSW	22.93	0.22	1.51
	225	SW	22.38	0.28	1.97
	248	WSW	24.55	0.37	1.9
	270	W	24.56	0.43	1.85
	293	WNW	24.44	0.51	2.54
	315	NW	23.46	0.8	2.48
	338	NNW	23.21	0.8	2.48

Title	Wind and Wave Conditions – Shelburne Harbour – Marine Finfish Leases 1345, 0602, 1192, 0983			
Revision	B	Date Last Revised	2020-11-06	
DSA Project	CMAR-19EXM	Client Project / Reference	N/A	

It should be noted that the return periods indicated for each wave parameter in Table 3 are representative of the boundary condition used to derive that value, not the value itself. Polar plots for maximum wave heights are presented in Figure 15 and Figure 16.




Figure 15 Maximum wave height at 10- year return period and direction [from]- Shelburne Harbour - Marine Finfish Lease - 1345


Title	Wind and Wave Conditions – Shelburne Harbour – Marine Finfish Leases 1345, 0602, 1192, 0983			
Revision	B	Date Last Revised	2020-11-06	
DSA Project	CMAR-19EXM	Client Project / Reference	N/A	




Figure 16 Maximum wave height at 50- year return period and direction [from]- Shelburne Harbour - Marine Finfish Lease - 1345

4.4.2 Wave/wind conditions for Shelburne Harbour - Marine Finfish Lease - 0602

The wave and wind results from the STWave model, for the Shelburne Harbour - Marine Finfish Lease - 0602, are summarized in Table 4. Note that the results in Table 4 indicate significant wave height (H_s) and peak period (T_p) for the selected site. These represent the extreme wave conditions at this coordinate: 43° 43.300' N, 65° 19.308' W.


Table 4 Estimated wave and wind design conditions for Shelburne Harbour - Marine Finfish Lease - 0602

Wave/Wind conditions	Direction [from] [°]		Wind (m/s)	H_s (m)	T_p (s)
10yr wave/wind	0	N	21.01	0.76	2.74
	23	NNE	21.96	0.36	1.81
	45	NE	21.96	0.32	1.6
	68	ENE	23.35	0.3	1.56
	90	E	20.06	0.23	1.45
	113	ESE	20.82	0.14	1.24
	135	SE	19.38	0.22	2.17

Title	Wind and Wave Conditions – Shelburne Harbour – Marine Finfish Leases 1345, 0602, 1192, 0983			
Revision	B	Date Last Revised	2020-11-06	
DSA Project	CMAR-19EXM	Client Project / Reference	N/A	

	158	SSE	20.76	0.33	2
	180	S	21.12	0.55	2.19
	203	SSW	19.96	0.56	2.43
	225	SW	19.65	0.59	2.7
	248	WSW	21.05	0.7	2.6
	270	W	21.38	0.77	2.6
	293	WNW	21.42	0.52	2.35
	315	NW	20.69	0.51	3.1
	338	NNW	20.26	0.51	31
50yr wave/wind	0	N	24.53	0.9	2.92
	23	NNE	26.05	0.46	1.92
	45	NE	26.14	0.4	1.71
	68	ENE	28.62	0.38	1.68
	90	E	23.69	0.28	1.55
	113	ESE	24.53	0.2	1.43
	135	SE	22.42	0.26	2.33
	158	SSE	24.68	0.4	2.15
	180	S	24.91	0.65	2.3
	203	SSW	22.93	0.66	2.59
	225	SW	22.38	0.68	2.85
	248	WSW	24.55	0.82	2.77
	270	W	24.56	0.9	2.75
	293	WNW	24.44	0.61	2.5
	315	NW	23.46	0.59	3.24
	338	NNW	23.21	0.6	3.24

It should be noted that the return periods indicated for each wave parameter in Table 4 are representative of the boundary condition used to derive that value, not the value itself. Polar plots for maximum wave heights are presented in Figure 17 and Figure 18.

Title	Wind and Wave Conditions – Shelburne Harbour – Marine Finfish Leases 1345, 0602, 1192, 0983			
Revision	B	Date Last Revised	2020-11-06	
DSA Project	CMAR-19EXM	Client Project / Reference	N/A	




Figure 17 Maximum wave height at 10- year return period and direction [from]- Shelburne Harbour - Marine Finfish Lease – 0602





Figure 18 Maximum wave height at 50- year return period and direction [from]- Shelburne Harbour - Marine Finfish Lease – 0602


Title	Wind and Wave Conditions – Shelburne Harbour – Marine Finfish Leases 1345, 0602, 1192, 0983			
Revision	B	Date Last Revised	2020-11-06	
DSA Project	CMAR-19EXM	Client Project / Reference	N/A	

4.4.3 Wave/wind conditions for Shelburne Harbour - Marine Finfish Lease - 1192

The wave and wind results from the STWave model, for the Shelburne Harbour - Marine Finfish Lease - 1192, are summarized in Table 4. Note that the results in Table 4 indicate significant wave height (H_s) and peak period (T_p) for the selected site. These represent the extreme wave conditions at this coordinate: 43° 43.972' N, 65° 19.786' W.

Table 5 Estimated wave and wind design conditions for Shelburne Harbour - Marine Finfish Lease - 1192

Wave/Wind conditions	Direction [from] [°]		Wind (m/s)	H_s (m)	T_p (s)
10yr wave/wind	0	N	21.01	0.67	2.51
	23	NNE	21.96	0.5	2.22
	45	NE	21.96	0.53	2.1
	68	ENE	23.35	0.52	2
	90	E	20.06	0.4	1.85
	113	ESE	20.82	0.3	1.86
	135	SE	19.38	0.37	3.21
	158	SSE	20.76	0.63	3
	180	S	21.12	0.9	3
	203	SSW	19.96	0.55	2.42
	225	SW	19.65	0.56	2.21
	248	WSW	21.05	0.5	2.1
	270	W	21.38	0.36	1.79
	293	WNW	21.42	0.2	1.5
	315	NW	20.69	0.28	2.67
	338	NNW	20.26	0.28	2.67
50yr wave/wind	0	N	24.53	0.81	2.68
	23	NNE	26.05	0.62	2.4
	45	NE	26.14	0.65	2.22
	68	ENE	28.62	0.66	2.18
	90	E	23.69	0.49	1.96
	113	ESE	24.53	0.39	1.95
	135	SE	22.42	0.45	3.43
	158	SSE	24.68	0.76	3.23
	180	S	24.91	1.08	3.2
	203	SSW	22.93	0.65	2.58
	225	SW	22.38	0.64	2.31
	248	WSW	24.55	0.58	2.12

Title	Wind and Wave Conditions – Shelburne Harbour – Marine Finfish Leases 1345, 0602, 1192, 0983			
Revision	B	Date Last Revised	2020-11-06	
DSA Project	CMAR-19EXM	Client Project / Reference	N/A	

	270	W	24.56	0.42	1.85
	293	WNW	24.44	0.25	1.64
	315	NW	23.46	0.33	2.84
	338	NNW	23.21	0.33	2.84

It should be noted that the return periods indicated for each wave parameter in Table 4 are representative of the boundary condition used to derive that value, not the value itself. Polar plots for maximum wave heights are presented in Figure 19 and Figure 20.





Figure 19 Maximum wave height at 10- year return period and direction [from]- Shelburne Harbour - Marine Finfish Lease – 1192

Title	Wind and Wave Conditions – Shelburne Harbour – Marine Finfish Leases 1345, 0602, 1192, 0983			
Revision	B	Date Last Revised	2020-11-06	
DSA Project	CMAR-19EXM	Client Project / Reference	N/A	





Figure 20 Maximum wave height at 50- year return period and direction [from]- Shelburne Harbour - Marine Finfish Lease - 1192

4.4.4 Wave/wind conditions for Shelburne Harbour - Marine Finfish Lease - 0983

The wave and wind results from the STWave model, for the Shelburne Harbour - Marine Finfish Lease - 0983, are summarized in Table 4. Note that the results in Table 4 indicate significant wave height (H_s) and peak period (T_p) for the selected site. These represent the extreme wave conditions at this coordinate: 43° 44.403' N, 65° 19.694' W.


Table 6 Estimated wave and wind design conditions for Shelburne Harbour - Marine Finfish Lease - 0983

Wave/Wind conditions	Direction [from] [°]		Wind (m/s)	H_s (m)	T_p (s)
10yr wave/wind	0	N	21.01	0.63	2.45
	23	NNE	21.96	0.44	2.1
	45	NE	21.96	0.47	2.1
	68	ENE	23.35	0.5	1.97
	90	E	20.06	0.39	1.83
	113	ESE	20.82	0.28	1.81
	135	SE	19.38	0.36	3.3
	158	SSE	20.76	0.61	3

Title	Wind and Wave Conditions – Shelburne Harbour – Marine Finfish Leases 1345, 0602, 1192, 0983			
Revision	B	Date Last Revised	2020-11-06	
DSA Project	CMAR-19EXM	Client Project / Reference	N/A	

	180	S	21.12	0.94	3.1
	203	SSW	19.96	0.58	2.56
	225	SW	19.65	0.47	1.91
	248	WSW	21.05	0.35	1.66
	270	W	21.38	0.27	1.57
	293	WNW	21.42	0.16	1.35
	315	NW	20.69	0.26	2.92
	338	NNW	20.26	0.26	2.92
50yr wave/wind	0	N	24.53	0.76	2.62
	23	NNE	26.05	0.55	2.26
	45	NE	26.14	0.58	2.2
	68	ENE	28.62	0.64	2.14
	90	E	23.69	0.48	1.94
	113	ESE	24.53	0.36	1.91
	135	SE	22.42	0.42	3.48
	158	SSE	24.68	0.74	3.21
	180	S	24.91	1.12	3.33
	203	SSW	22.93	0.68	2.72
	225	SW	22.38	0.53	1.99
	248	WSW	24.55	0.41	1.74
	270	W	24.56	0.32	1.66
	293	WNW	24.44	0.21	1.5
	315	NW	23.46	0.3	3.11
	338	NNW	23.21	0.3	3.11

It should be noted that the return periods indicated for each wave parameter in Table 4 are representative of the boundary condition used to derive that value, not the value itself. Polar plots for maximum wave heights are presented in Figure 21 and Figure 22.

Title	Wind and Wave Conditions – Shelburne Harbour – Marine Finfish Leases 1345, 0602, 1192, 0983			
Revision	B	Date Last Revised	2020-11-06	
DSA Project	CMAR-19EXM	Client Project / Reference	N/A	




Figure 21 Maximum wave height at 10- year return period and direction [from]- Shelburne Harbour - Marine Finfish Lease – 0983




Figure 22 Maximum wave height at 50- year return period and direction [from]- Shelburne Harbour - Marine Finfish Lease – 0983